

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

CORRECTED VERSION

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
15 July 2004 (15.07.2004)

PCT

(10) International Publication Number
WO 2004/058550 A2

(51) International Patent Classification⁷:

B60T

(21) International Application Number:

PCT/US2003/040096

(22) International Filing Date:

16 December 2003 (16.12.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/433,566	16 December 2002 (16.12.2002)	US
60/441,194	21 January 2003 (21.01.2003)	US
60/452,714	10 March 2003 (10.03.2003)	US
60/514,983	29 October 2003 (29.10.2003)	US
60/523,337	20 November 2003 (20.11.2003)	US


(74) Agent: MALOOLEY, Marc, F.; Brooks & Kushman,
1000 Town Center, Twenty-Second Floor, Southfield, MI
48075 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR,
CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR,
KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN,
MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU,
SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA,
UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (BW, GH,
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE,
SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA,
GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: HYDRAULIC REGENERATIVE BRAKING SYSTEM FOR A VEHICLE



(57) Abstract: A hydraulic regenerative braking system for a vehicle is provided. The system includes two hydraulic machines, each of which is disposed proximate a corresponding vehicle wheel. A transformer is in communication with each of the hydraulic machines, and with a pair of accumulators. Each of the hydraulic machines is operable as a pump, pumping fluid to at least one of the accumulators when the vehicle is braking. Each of the hydraulic machines is also operable as a motor, receiving pressurized fluid and transferring torque to the vehicle wheels. The transformer is operable to vary the pressure of the fluid received by the hydraulic machines.



Published:

— *without international search report and to be republished
upon receipt of that report*

(48) Date of publication of this corrected version:

21 October 2004

(15) Information about Correction:

see PCT Gazette No. 43/2004 of 21 October 2004, Sec-
tion II

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
15 July 2004 (15.07.2004)

PCT

(10) International Publication Number
WO 2004/058550 A3

(51) International Patent Classification⁷: **B60T 8/64**
(21) International Application Number:
PCT/US2003/040096

(22) International Filing Date:
16 December 2003 (16.12.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/433,566 16 December 2002 (16.12.2002) US
60/441,194 21 January 2003 (21.01.2003) US
60/452,714 10 March 2003 (10.03.2003) US
60/514,983 29 October 2003 (29.10.2003) US
60/523,337 20 November 2003 (20.11.2003) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant and
(72) Inventor: **WALKER, Frank, H.** [US/US]; 8087 Hawkcrest Drive, Grand Blanc, MI 48439 (US).

(74) Agent: **MALOOLEY, Marc, F.**; Brooks & Kushman, 1000 Town Center, Twenty-Second Floor, Southfield, MI 48075 (US).

Published:


— with international search report

(88) Date of publication of the international search report:
16 December 2004

(15) Information about Correction:

[Continued on next page]

(54) Title: HYDRAULIC REGENERATIVE BRAKING SYSTEM FOR A VEHICLE



(57) Abstract: A hydraulic regenerative braking system for a vehicle is provided. The system includes two hydraulic machines (22, 24), each of which is disposed proximate a corresponding vehicle wheel (14, 16). a transformer (32) is in communication with each of the hydraulic machines, and with a pair of accumulators (30, 34). Each of the hydraulic machines is operable as a pump, pumping fluid to at least one of the accumulators when the vehicle is braking. Each of the hydraulic machines is also operable as a motor, receiving pressurized fluid and transferring torque to the vehicle wheels. The transformer is operable to vary the pressure of the fluid received by the hydraulic machines.



Previous Correction:

see PCT Gazette No. 43/2004 of 21 October 2004, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

International application No.,

PCT/US03/40096

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : B60T 8/64
US CL : 303/152,151

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
U.S. : 303/152,151

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4,993,780 A (TANAKA et al) 19 Feb. 1991 (19.02.1991) figure 4 pump/motor 2, transformer 10, accumulators 11,12	1,20
T	US 6,719,080 B1 (GRAY, JR.)	1,20
A	US 4,883,141 A (WALKER) 28 Nov. 1989 (28.11.1989)	
A	US 6,033,040 A (INAGAKI et al)	

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"B" earlier application or patent published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

27 June 2004 (27.06.2004)

Date of mailing of the international search report

21 SEP 2004

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Facsimile No. (703) 305-3230

Authorized officer

Robert A. Siconolfi

Telephone No. (703) 308-1113

CORRECTED VERSION

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
15 July 2004 (15.07.2004)


PCT

(10) International Publication Number
WO 2004/058550 A3

- (51) International Patent Classification⁷: B60T 8/64
- (21) International Application Number: PCT/US2003/040096
- (22) International Filing Date: 16 December 2003 (16.12.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- | | | |
|------------|-------------------------------|----|
| 60/433,566 | 16 December 2002 (16.12.2002) | US |
| 60/441,194 | 21 January 2003 (21.01.2003) | US |
| 60/452,714 | 10 March 2003 (10.03.2003) | US |
| 60/514,983 | 29 October 2003 (29.10.2003) | US |
| 60/523,337 | 20 November 2003 (20.11.2003) | US |
- (71) Applicant and
(72) Inventor: WALKER, Frank, H. [US/US]; 8087 Hawkcrest Drive, Grand Blanc, MI 48439 (US).
- (74) Agent: MALOOLEY, Marc, F.; Brooks & Kushman, 1000 Town Center, Twenty-Second Floor, Southfield, MI 48075 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Declaration under Rule 4.17:
— of inventorship (Rule 4.17(iv)) for US only

[Continued on next page]

(54) Title: HYDRAULIC REGENERATIVE BRAKING SYSTEM FOR A VEHICLE



(57) Abstract: A hydraulic regenerative braking system for a vehicle is provided. The system includes two hydraulic machines (22, 24), each of which is disposed proximate a corresponding vehicle wheel (14, 16). a transformer (32) is in communication with each of the hydraulic machines, and with a pair of accumulators (30, 34). Each of the hydraulic machines is operable as a pump, pumping fluid to at least one of the accumulators when the vehicle is braking. Each of the hydraulic machines is also operable as a motor, receiving pressurized fluid and transferring torque to the vehicle wheels. The transformer is operable to vary the pressure of the fluid received by the hydraulic machines.



Published:

— *with international search report*

(88) Date of publication of the international search report:
16 December 2004

(48) Date of publication of this corrected version:
19 May 2005

(15) Information about Corrections:

see PCT Gazette No. 20/2005 of 19 May 2005, Section II

Previous Correction:

see PCT Gazette No. 43/2004 of 21 October 2004, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 2004/058550 A2



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.